

Purified anti-human MCP-1 (CCL2) Antibody

Catalog# / Size	536002 / 100 µg
Clone	Poly5360
Regulatory Status	RUO
Other Names	Monocyte chemoattractant protein-1 (MCP1), Monocyte chemoattractant and activating factor (MCAF), JE, Small inducible cytokine A2 (SCYA2), HC-11 (HC11), P6, Smooth muscle cell chemotactic factor (SMC-CF, SMCCF), CCL2, MCP-1, MCP1, CCL-2, MCP-1/CCL2
Isotype	Goat Ig
Description	MCP-1, also known as CCL2, is a member of the CC chemokine family. It is widely expressed in endothelial cells, smooth muscle cells and monocytes in response to several atherogenic stimulants such as CD40 ligand, platelet derived growth factor (PDGF), interleukin-1 β (IL-1 β) and oxidized low density lipoprotein. In addition, MCP-1 has been implicated in monocytic infiltration of tissues during several inflammatory diseases, and has been implicated in macrophage-mediated tumor growth suppression in mice. MCP-1 has been shown to have direct effects on tumor cells in an autocrine and paracrine fashion in multiple cancers, including breast, lung, cervical, ovarian, and prostatic. In addition, MCP-1 plays a key role in the regulation of MMPs during transmigration.

Product Details

Reactivity	Human
Antibody Type	Polyclonal
Host Species	Goat
Immunogen	Recombinant protein
Formulation	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide.
Preparation	The antibody was purified by affinity chromatography.
Concentration	0.5 mg/ml
Storage & Handling	The antibody solution should be stored undiluted between 2°C and 8°C.
Application	ELISA Capture - Quality tested
Recommended Usage	Each lot of this antibody is quality control tested by ELISA assay . For ELISA Capture applications, a concentration range of 0.5 - 4.0 µg/mL is recommended. To obtain a linear standard curve, serial dilutions of MCP-1 recombinant protein ranging from 1000 to 15.6 pg/mL is recommended for each ELISA plate. It is recommended that the reagent be titrated for optimal performance for each application.
Application Notes	The purified Poly5360 antibody is useful as the capture antibody in a sandwich ELISA assay, when used in conjunction with the biotinylated Poly5360 antibody (Cat. No. 536004) as the detection antibody and Recombinant Human MCP-1 (CCL2) (ELISA Std.) (Cat. No. 565001).
RRID	AB_2734496 (BioLegend Cat. No. 536002)

Antigen Details

Structure	CC chemokine, dimer, 13.8 kD (Mammalian)
Distribution	Monocytes, vascular endothelial cells, smooth muscle, glomerular mesangial cells
Function	Upregulated by IL-1, TNF- α , PDGF, TGF- β
Interaction	Monocytes, basophils, T cells, NK cells, immature dendritic cells

Ligand/Receptor	CCR2, CCR5, CCR10, D6, possibly L-CCR
Cell Type	Monocytes, Endothelial cells
Biology Area	Cell Biology, Neuroinflammation, Neuroscience
Molecular Family	Cytokines/Chemokines
Antigen References	<ol style="list-style-type: none"> 1. Fitzgerald KA, <i>et al.</i> 2001. <i>The Cytokine FactsBook</i>; Academic Press, San Diego. 2. Bischoff SC, <i>et al.</i> 1992. <i>J. Exp. Med.</i> 175:1271. 3. Charo IF, <i>et al.</i> 1994. <i>Proc. Natl. Acad. Sci. USA.</i> 91:2752. 4. Jiang Y, <i>et al.</i> 1992. <i>J. Immunol.</i> 148:2423.
Gene ID	6347

Related Protocols


[Active Protocols: Sandwich ELISA - Video](#)

[Sandwich ELISA Protocol](#)

Other Formats

Purified anti-human MCP-1 (CCL2), Biotin anti-human MCP-1 (CCL2)

Product Data



For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
 Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587