

Brilliant Violet 510™ anti-human CD45 Antibody

| | |
|--------------------------|---|
| Catalog# / Size | 368525 / 25 tests 368526 / 100 tests |
| Clone | 2D1 |
| Regulatory Status | RUO |
| Other Names | Leukocyte Common Antigen (LCA), T200 |
| Isotype | Mouse IgG1, κ |
| Description | CD45 is a 180 - 240 kD single chain type I membrane glycoprotein also known as leukocyte common antigen (LCA) and T200. It is a tyrosine phosphatase expressed on the plasma membrane of all hematopoietic cells, except erythrocytes or platelets. CD45 is a signaling molecule that regulates a variety of cellular processes including cell growth, differentiation, cell cycle, and oncogenic transformation. CD45 plays a critical role in T and B cell antigen receptor-mediated activation by dephosphorylating substrates including p56Lck, p59Fyn, and other Src family kinases. CD45 non-covalently associates with lymphocyte phosphatase-associated phosphoprotein (LPAP) on T and B lymphocytes. CD45 has been reported to bind galectin-1 and to be associated with several other cell surface antigens including CD1, CD2, CD3, and CD4. |

Product Details

| | |
|-------------------------------|---|
| Verified Reactivity | Human |
| Antibody Type | Monoclonal |
| Host Species | Mouse |
| Immunogen | Human PBMC |
| Formulation | Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA). |
| Preparation | The antibody was purified by affinity chromatography and conjugated with Brilliant Violet 510™ under optimal conditions. |
| Concentration | Lot-specific (to obtain lot-specific concentration, please enter the lot number in our Concentration and Expiration Lookup or Certificate of Analysis online tools.) |
| Storage & Handling | The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. Do not freeze. |
| Application | FC - Quality tested |
| Recommended Usage | <p>Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood.</p> <p>Brilliant Violet 510™ excites at 405 nm and emits at 510 nm. The bandpass filter 510/50 nm is recommended for detection, although filter optimization may be required depending on other fluorophores used. Be sure to verify that your cytometer configuration and software setup are appropriate for detecting this channel. Refer to your instrument manual or manufacturer for support. Brilliant Violet 510™ is a trademark of Sirigen Group Ltd.</p> <p>Learn more about Brilliant Violet™.</p> <p>This product is subject to proprietary rights of Sirigen Inc. and is made and sold under license from Sirigen Inc. The purchase of this product conveys to the buyer a non-transferable right to use the purchased product for research purposes only. This product may not be resold or incorporated in any manner into another product for resale. Any use for therapeutics or diagnostics is strictly prohibited. This product is covered by U.S. Patent(s), pending patent applications and foreign equivalents.</p> |
| Excitation Laser | Violet Laser (405 nm) |

Application Notes It was found that the HI30 clone and the 2D1 clone can cross block each other's binding.

Application References

1. Bradstock KF, *et al.* 1980. *J. Natl. Cancer Inst.* 65:33.
2. Csiba A, *et al.* 1984. *Br. J. Cancer* 50:699.
3. Tchilian EZ, *et al.* 2001. *J. Immunol.* 166:1308.
4. Lee MS, *et al.* 2004. *Int. Immunol.* 16:1109.

Product Citations

1. Pustlauk W, *et al.* 2020. *Sci Rep.* 10:5951. [PubMed](#)

RRID AB_2687376 (BioLegend Cat. No. 368525)
AB_2687377 (BioLegend Cat. No. 368526)

Antigen Details

Structure Type I transmembrane protein, 180 - 240 kD (multiple isoforms)

Distribution Hematopoietic cells, except circulating erythrocytes or platelets.

Function Tyrosine phosphatases, signaling, co-stimulation (co-inhibition), TCR and BCR mediated activation.

Ligand/Receptor Galectin-1, CD2, CD3, and CD4.

Cell Type B cells, Dendritic cells, Neutrophils

Biology Area Cell Biology, Immunology, Inhibitory Molecules, Neuroscience, Neuroscience Cell Markers

Molecular Family CD Molecules, Protein Kinases/Phosphatase, TCRs

Antigen References

1. Thomas M. 1989. *Annu. Rev. Immunol.* 7:339.
2. Trowbridge I, *et al.* 1994. *Annu. Rev. Immunol.* 12:85.

Gene ID [5788](#)


Related Protocols

[Cell Surface Flow Cytometry Staining Protocol](#)

Other Formats

Purified anti-human CD45, PerCP anti-human CD45, FITC anti-human CD45, PE anti-human CD45, APC anti-human CD45, Alexa Fluor® 700 anti-human CD45, APC/Cyanine7 anti-human CD45, PerCP/Cyanine5.5 anti-human CD45, APC/Fire™ 750 anti-human CD45, Alexa Fluor® 594 anti-human CD45, Brilliant Violet 510™ anti-human CD45, Brilliant Violet 421™ anti-human CD45, PE/Dazzle™ 594 anti-human CD45, Brilliant Violet 605™ anti-human CD45, PE/Cyanine7 anti-human CD45, Pacific Blue™ anti-human CD45, Alexa Fluor® 647 anti-human CD45, Biotin anti-human CD45, Alexa Fluor® 488 anti-human CD45, TotalSeq™-A0048 anti-human CD45, Brilliant Violet 750™ anti-human CD45, TotalSeq™-C0048 anti-human CD45, TotalSeq™-B0048 anti-human CD45, Spark Blue™ 550 anti-human CD45, Spark NIR™ 685 anti-human CD45, TotalSeq™-D0048 anti-human CD45, PE/Cyanine5 anti-human CD45, Spark Blue™ 574 anti-human CD45 Antibody

Product Data



Human peripheral blood lymphocytes were stained with CD45 (clone 2D1) Brilliant Violet 510™ (filled histogram) or Mouse IgG1 Brilliant Violet 510™ isotype control (open histogram).

For research use only. Not for diagnostic use. Not for resale. BioLegend will not be held responsible for patent infringement or other violations that may occur with the use of our products.

*These products may be covered by one or more Limited Use Label Licenses (see the BioLegend Catalog or our website, www.biolegend.com/ordering#license). BioLegend products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products, reverse engineer functionally similar materials, or to provide a service to third parties without written approval of BioLegend. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. Unless otherwise indicated, these products are for research use only and are not intended for human or animal diagnostic, therapeutic or commercial use.

BioLegend Inc., 8999 BioLegend Way, San Diego, CA 92121 www.biolegend.com
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587